



Postscripting QuarkXPress 6.0

Mac OSX


1. Download the *Prinerigy Refiner PPD (Mac)*.
2. Place the PPD into *YourHardDrive > Library > Printers > PPDs*.



3. Launch Quark XPress and go to *Utilities > PPD Manager*.
4. Check *Use Auxiliary Folder*.




5. Click *Select...* and navigate to *YourHardDrive > Library > Printers > PPDs*. Click *Choose*. Click *OK*.



Turn OFF Unnecessary XTensions

Postscripting QuarkXPress 6.0

1. In Quark XPress, go to *Utilities > XTensions Manager*.
2. Uncheck *Custom Bleeds* and *OPI*. Both of these XTensions are known to cause problems with creating reliable PostScript files.




It is necessary to quit Quark and relaunch it before it will recognize the changes you have made to the XTensions.

3. Click *OK*.
4. Quit Quark XPress.

We strongly recommend you use preflight software such as Markzware Flightcheck to verify that your file is printer ready.

Creating Postscript Files

1. Open the Quark XPress layout, and then go to *Utilities > Usage* to confirm that all fonts are available and that all imported pictures are linked to the layout and display a status of OK.
2. Choose *File > Print*, and then click the *Printer* button to display the printer driver dialog box.
3. In the options pop-up menu of the printer driver dialog box, choose *Output Options* from the pop-up menu.
4. Check *Save as File*, and then choose *PostScript* from the *Format* pop-up menu.




We request you use a consistent file-naming convention such as *page_MagTitle_Issue.ps*. For example, *007_MyMag_Sep03.ps*. Please print only one page per PostScript file.


5. Use the controls in the *Save to File* dialog box to specify a name and location for the file. Click *Save* to return to the Quark XPress Print dialog box.

Postscripting QuarkXPress 6.0


6. Make changes necessary to match the following screen captures.




b.



c.



d.



e.

Please use the Composite CMYK Setting, even if your magazine will print with spot colors.

7. Click *Print* to save the layout as a PostScript file.